

Data Sheet CAM68

Traded by: Cerámica La Escandella S.A.
Location: Agost (Alicante) - Spain
Commercial Name: Treated wood batten - **CAM68**

Dimensions **A** 4 cm / 1.57 "
B 3 cm / 1.18 "
C 240 cm / 94.48 "

Material Wood
Package units 1 unit
Sell per unit 1 unit

Flexure: 18 N/mm²
Pararel tension: 11 N/ mm²
Perpendicular tension: 0,4 N/ mm²
Pararel compression: 18 N/ mm²
Perpendicular compression: 2,2 N/ mm²
Emission of hazardous substances: PND
Fire reaction: d-s2,d0
Durability class with respect to:
-Xylophagous fungi 4-5
-Insects
Hylotruopes S
Anobids SH
-Termites S
-Marine Xylophages S



EN 14081-1: 2005+ A1:2011

Structural wood visually classified by its resistance, according to
UNE 56544: 2011. Classified in humid conditions